

DACHUAN
SHANTOU DACHUAN MACHINES CO., LTD.

COMPANY PROFILE

- Automatic high-speed high-performance intelligent packaging machinery engineering technology research center
- Engineering technology research center in Guangdong Province
- High-tech enterprise in Guangdong Province
- Specialized and special new enterprise in Guangdong Province
- The products are CE certified
- Specializing in packaging machinery manufacturing for more than 30 years (since1992)
- It has applied for more than 70 patent certificates
- Annual total export value exceeds 50%







CERTIFICATE OF HONOR













CERTIFICATE OF HONOR









QUALIFICATION



广东省高新技术产品

证书

汕头市大川机械有限公司：

经审核，你公司的 异形状包装袋充填包装机产品2019年被认定为广东省高新技术产品。

批准文号：粤高企协〔2019〕11 号。

有 效 期：三 年 。

广东省高新技术企业协会

2019年12月

编号：201922493



广东省高新技术产品

证书

汕头市大川机械有限公司：

经审核，你公司的 全自动多功能高速包装机产品2019年被认定为广东省高新技术产品。

批准文号：粤高企协〔2019〕11 号。

有 效 期：三 年 。

广东省高新技术企业协会

2019年12月

编号：201922492

QUALIFICATION





UDEM

CERTIFICATE

ATTESTATION
CERTIFICATE OF MACHINERY AND LOW VOLTAGE DIRECTIVES

Technical file of the company mentioned below has been observed and audit has been completed successfully. 2006/42/EC Machinery Directive and 2014/ 35/EU Low Voltage Directive have been taken as references for these processes

Company Name	: **Shantou Dachuan Machines Co., Ltd.**
Company Address	: Fuxi Industrial Area (Behind Water Works), Huashan North Road, Shantou, Guangdong, China
Related Directives and Annex	: **Low Voltage Directive 2014/35/EU Machinery Directive 2006/42/EC**
Related Standards	: **EN ISO 12100:2010, EN 60204-1:2006/AC:2010**
Product Name	: **Auto Packaging Machine**
Report No and Date	: OUCE-SH-173964-MD/LVD
Product Brand/Model/Type	: DC-338; DC-338-1; DC-338-2; DC-338-3; DC-338-8; DC-338-1D; DC-338-1+2; DC-338-2+3; DC-338-1+3; DC-338-2+8; DC-338A2; DC-338A3; DC-338A8; DC-338A-DL; DC-338-2D; DC-228-110; DC-228-150; DC-228-180; DC-228-180D; DC-638-550; DC-638-558; DC-680; DC-680L; DC-780-200; DC-780-240; DC-880; DC-880G; DC-880L; DC-830; DC-820; DC-8205; DC-8200; DC-890,DC-890S; DC-230; DC-280
Certificate Number	: **M.2014.201.Y2585**
Initial Assessment Date	:13.01.2017
Registration Date	:15.01.2017
Reissue Date/No	:17.01.2017-rev01
Expiry Date	: **14.01.2022**

The validity of the certificate can be checked through www.udemltd.com.tr. The CE mark shown on the right can only be used under the responsibility of the manufacturer with the completion of EC Declaration of Conformity for all the relevant Directives. This certificate remains the property of UDEM International Certification Auditing Training Centre Industry and Trade Co. Ltd. to whom it must be returned upon request. The above named firm must keep a copy of this certificate for 15 years from the registration of certificate. This certificate only covers the product(s) stated above and UDEM must be notified in case of any changes on the product(s)


UDEM International Certification Auditing Training Centre Industry and Trade Co. Ltd.


CE UDEM

Address: Mutlukent Mahallesi 2073 Sokak (Eski 93 Sokak) No:10 Çankaya – Ankara – TURKEY
Phone: +90 0312 443 03 90 **Fax:** +90 0312 443 03 76
E-mail: info@udemltd.com.tr www.udemltd.com.tr

PATENT



实用新型专利证书



实用新型专利证书


实用新型专利证书


发明专利证书


外观设计专利证书


外观设计专利证书


外观设计专利证书


外观设计专利证书

Partial patent certificate

WE HAVE MORE THAN 30 TYPES OF MACHINE MODELS

- Fully automatic ultrahigh speed sachet packing machine
- Fully automatic high speed one-hand sachet packing machine
- Fully automatic premade pouch packing machine
- Fully automatic tubes filling & sealing machine
- Fully automatic multi lanes unique shape sachet packing machine
- Fully automatic single side/double side blister packing machine
- Fully automatic lipstick filling machine
- Fully automatic filling & capping machine
- Fully automatic horizontal sachet packing machine
- Fully automatic single lane/multiple lane stick pack machine
- Fully automatic single lane/ double lanes/ multi lanes vertical sachet packing machine

- Adopt domestic and international advanced technology
- Supported with international famous electrical appliances
- Widely used in fields of cosmetics/makeup/daily chemical, washing chemical, pharmaceutical, pesticide, food, drink etc.
- Our machines that are trusted by our customers sell well in both domestic and overseas markets and in the leading position of the market

SIEMENS FESTO Panasonic
Autonics OMRON Schneider Electric
AirTAC SMC DELTA

ELECTRICAL APPLIANCES SUPPLIER

SHANTOU DACHUAN MACHINES CO., LTD.

- Head office in Shantou city, Guangdong Province, showroom and providing after-sales service in Guangzhou and Shanghai.
- More than 200 employees in head office. More than 30 people in R&D department. Set research, development, manufacturing and sales in one.
- Advanced processing devices: CNC workshop, CNC lathe, grinding machine, double-side milling machine, presicion wire cutting machine, laser cutting machine, die board laser cutting machine, CNC shearing machine, etc.
- All parts are precisely measure detected by QC department
- Strong machine manufacturing capacity.








PROCESSING WORKSHOP

MANUFACTURING MACHINES WORKSHOP



BLISTER
MACHINES WORKSHOP



ULTRAHIGH SPEED SACHET
MACHINES WORKSHOP

MANUFACTURING MACHINES WORKSHOP



LIPSTICK
MACHINES WORKSHOP



SPECIAL SHAPE SACHET
MACHINES WORKSHOP

MANUFACTURING MACHINES WORKSHOP



PREMADE POUCH MACHINES WORKSHOP



SACHET MACHINES WORKSHOP

OUR CUSTOMER



















































CUSTOMER`S WORKSHOP









DC-680/680L

High Speed Liquid/Viscous Multi Lane(3-4Lanes) Special Shape Auto Packing Machine





This model has obtained mechanical invention p atents
and mechanical shape design patents.
Mechanical invention patent number: ZL201711439344.2
Mechanical shape design patent number: ZL201330391353.5


DC-680(L)is able to produce l-4 lanes of unique shape sachet with any customized shape and number of lanes(within l -4lanes) .the sachets produced by this machine are neat, nice and elegant. With useing international electrical components and advanced mechanical design, this machine runs stably and can be adjusted easily. And it can run a long time production.

MODLE	DC-680	DC-680L
MAX WIDTH OF FILM	600mm	
LENGTH	Max135mm	Max220mm
SPEED	30-60pcs/min/lane,Max120-240RPM	
FILLING CAPACITY	1-8ml(Can be tailor made)	

DC-686

High Speed One Hand Open/Dispense Sachet Packing Machine





DC-686 is for making an innovative one hand opening/ dispensing packaging for food, cosmetics, pharma, medical and chemical products etc. This packaging is able to be opened with one hand easily,no product contamination while opening and dispensing, all the content could be squeezed completely. With 100% barrier properties to maintain the product integrity and have long shelf life. The production speed can be up to 320 pcs/minute (40cycles per minute,8 lanes) with feasible conversion setting for size and volume change set.

MODLE	DC-686
SIZE	Width: 40-84mm Length: 50-100mm
SPEED	30-40pcs/lane/min(up to 8lanes, Max.240-320pcs/min)
FILLING CAPACITY	1-8ml or 5-30ml

DC-688

High Speed Blister Packing Machine











DC-688 High Speed Blister Packing Machine is a cost-effective blister packaging machine with compact design, which is specialized in liquid dose products. This machine can be used for bliter packaging for skin care, cosmetic product and any similar products along with various kinds of automatic feeder. Due to wide range of forming format, DC-688 runs dual lane forming for mass output. More over, HIMI control via PLC and touch screen provides operator-friendly environment. Every station is operated by mechanical camdrive on strong solid shaft driven by main motor which is controlled by inverter.

Modle	DC-688
Web width	Max 330mm
FILM ROLL MAX DIA	500mm(with 76mm core dia)
SPEED	Max 25cycles/min

DC-688S

High Speed Blister Packing Machine





DC-688S High Speed Blister Packing Machine is a cost-effective blister packaging machine with compact design, which is specialized in liquid dose products. This machine can be used for bliter packaging for skin care, cosmetic product and any similar products along with various kinds of automatic feeder. Due to wide range of forming format, DC-688 runs dual lane forming for mass output. More over, HIMI control via PLC and touch screen provides operator-friendly environment. Every station is operated by mechanical camdrive on strong solid shaft driven by main motor which is controlled by inverter.

Modle	DC-688S
Web width	Max 260mm
FILM ROLL MAX DIA	300mm(with 76mm core dia)
SPEED	Max 25cycles/min

DC-860

Double Sided Blister Packing Machine







DC-860 double-sided blister packing machine is mainly designed for packing liquid and semi viscous product with plastic film roll. The machine is compact, safe and efficient in reducing production waste. Its modular and compact design shorten the design period and fasten the product updating. Reasonable structure with high quality makes the machine stable and durable.
Applicable Film: single layer film or laminated film including PVC(PE), PET (PE), PVDC etc. can be applied on this machine. The use ratio of packaging material on this machine is usually more than 95%, some might go up to 99%.

型号	DC-860
Max Diameter Of Roll	400mm(Diameter Of Core: 76mm)
Speed	10-20Cycles/min(2-5pcs/)
Filling Capacity	1-20ml/pcs
Depth	Single Molding: 2-10mm Double Molding: 10-20mm

DC-889

Ultrahigh Speed Powder/Granule(Three Side Sealing) Automatic Packing Machine





The rotary system automatically perform bag forming, filling, sealing and counting in a horizontal direction to achieve an ultra-fast packaging rate of 400 to 1200 pouches per minute. Bags made by this machine is with firm and delicate sealing. With automatic film connection device to reduce time on film changing and improve production efficiency. Since a longer filling time can be provided, there is minimal biting of the filling product at the sealed areas. It can pack individual bag or multi-bag in a row with wide range of application on food, pharmaceutical, chemical etc products.

MODLE	DC-889
Pouch Size	Width:30-110mm Length:40-125mm
Filling Capacity	0.5-50g
Speed	400-1200pcs/min

DC-890/890A

Fully Automatic Multi/Single Lane Stick Type Packing Machine



DC-890



DC-890A





DC-890/890A Fully automatic multi/single lane stick type packaging machine can be applied to food, pharmaceutical and chemical industries, packing food, powders and granules in over-wrap stick sachets. The machine can be tailor made to 6,8 or 10 lanes according to customer's requirements about bagging size and fling capacity, greatly improving the production output. The machine is user friendly, sachet length and production time can be adjusted just by inputting data and production info can be stored. It meets customer's requirements about large output and fast production.

MODLE	DC-890 (Quantity of lanes could be customized)	DC-890A(Single lane)
WIDTH	11-45mm(Bag width is inalterable once specified)	
LENGTH	30-180mm(Adjustable)	
SPEED	20-70pcs/lane/min	30-50pcs/lane/min
FILLING CAPACITY	1-50ml	1-40ml

DC-820SERIES

Fully Automatic High Speed Rotary Type Premade Pouch Packing Machine



DC-820W

With Weigher Filling System

Filling system is optional subject to product



DC-820P

With Auger Filling System

Filling system is optional subject to product



DC-820D

High Speed Double Lanes Liquid Filling System

Filling system is optional subject to product







DC-820Series fully Automatic Rotary Premade Pouch Packaging Machine is suitable for packaging liquids, sauces, powders, granules and pieces etc into premade bags. Easy in bags `alternations, high speed and excellent bagging appearances. It can meet customer's flexible and productive requirement with being able to pack all the standard stand-ups, zipper bags, and bags with unique shape

MODLE	DC-820W	DC-820P	DC-820D
WIDTH	100-240mm	240-340mm	90-160mm
LENGTH	120-350mm		
FILLING CAPACITY	Max3L		Max1L
SPEED	10-50pcs/min		40-100pcs/min

DC-780M/820M


Fully Automatic Mini Type Premade Pouch Packing Machine



DC-780mini

Horizontal Type(Low Speed)

lling system is optional subject to product



DC-820mini

Rotary Type

Filling system is optional subject to product




Mini type premade pouch packaging machine could be equipped with electronic scale, liquid filling pump, servo auger, bowl etc filling systems for packaging liquids sauces, powders, granules and pieces etc into premade bags. Available for normal/special shape bag. Less floor space , easy to operate witheconomical price.

MODLE	DC-780M	DC-820M
WIDTH	70-200mm	80-200mm
LENGTH	70-300mm	100-240mm
SPEED	8-30pcs/min	16-50pcs/min
FILLING CAPACITY	Max.3L	Max.3L

DC-830

Fully Automatic Lipstick Molding Machine







DC-830 is auto filling machine for high quality lipstick using silicon rubber. The silicon rubber specialized for lipstick uses material approved by FDA. It is harmless to human body and is excellent in elasticity&recovery force and it has long life compare to same kind of product which make it being able to produce high quality lipstick. The filling and cooling parts are designed in rotary type. By selecting rotary system, turn table is rotated in constant speed and temperature of silicon rubber is maintained constantly in each parts. With rotary table supplying container and extraction of lipstick can be done by one operator.

MODLE	DC-830
HOPPER VOLUME	30L
SPEED	800-1200pcs/hour

DC-638SERIES

Fully Automatic Filling&Sealing Machine For Plastic&Laminated Tubes



DC-638-550



DC-638-558





Advantages

- The filling system doses accurately. It is easy to be adjusted, assembled, disassembled and cleaned.
- Filling nozzle is descended into tube during filling for debubbling
- Blowing off type filling nozzle for preventing product tailing
- Precise heating tip melting the inner sides of tubes
- Date coding at both side of the tubes
- Hopper is connected with sanitary clamp so that it is easy to clean, disassemble and assemble.
- The whole machine is made with hygiene class stainless steel

MODLE	DC-638-550	DC-638-558
APPLICABLE TUBE	PE&Laminate tubes	
DIAMETTER	16-50mm	13-50mm
MAX LENGTH	Max205mm	Max230mm
FILLING RANGE	5-250g	1-400g
SPEED	30-60pcs/min	30-65pcs/min

DC-230

Fully Automatic Stand-up Pouch Filling&Capping Machine





DC-230 is applicable to cold chain food filling and screw capping , like yogurt, soybean milk, bean yogurt, juice etc. It is reliable with accurate filling, tight capping and convenient cleaning. Machine adopts electromagnetic capping(Servo capping is optional), stops working when running out of bag or cap. Waterproof designed crane electric cabinet with i0'touch screen. Circular sealed barrel can be connected with CIP cleaning system. The rack of standard machine is with clean cover(laminar flow hood is optional). The electrical components of machine use Siemens(Germany), Schneider(France), Mitsubishi(Japan), Optex(Japan) etc. Pneumatic components use Festo(Germany)， SMC(Japan)

MODLE	DC-230
MAX WIDTH	Max600mm
FILLING CAPACITY	50-300ml
SPEED	15-22mold/min

DC-238

Fully Automatic Horizontal Packing Machine







DC-238 is a fully automatic horizontal pouch forming, filling and sealing machine. It is for producing three sides sealing pouch, four sides sealing pouch, stand up pouch and stand up pouch with zipper etc which can be used in food, cosmetic, daily chemical and medical field etc.
The construction of the machine is modularized, printing module, forming module, sealing module, easy tear notch module, Europe slot module are optional according to customer`s needs.

MODLE	DC-238
POUCH SIZE	Width:75-200mm Length:140-280mm
DIAMETER OF FILM	550mm(Diameter of film roll:74mm)
WIDTH OF FILM	660mm
SPEED	35-45pouches/min
POUCH TYPE	Flat-bottom pouch, Stand-up pouch(with or without zipper)

DC-880SERIES Liquid,Viscous,Granule High-speed (4side sealing) Multi Lanes Packing Machine



DC-880G Granule



DC-880L Liquid&Viscous



DC-880 Series multi lanes packaging machines suitable for packaging liquid, viscous or granule. Elegant sachets could be produced by this machine in high speed by roller with hot sealing and four sides sealing. With high packaging efficiency and applicability, DC-880 can realize high speed production with multi lane for clients.

MODLE	DC-880G	DC-880L
WIDTH	2-8lanes could be produced in 450mm	
LENGTH	60-100mm or 100-160mm	
WIDTH OF FILM	900mm	
FILLING CAPACITY	1-12ml or 10-50ml	
SPEED	30-50pcs/lane/min	

DC-338 SERIES

Liquid,Viscous,Granule,Powder High-speed 3&4 Side Sealing Packing Machine



DC-338-1



DC-338-2



DC-338-8



DC-338A2



DC-338A3





MODEL	FILLING SYETEM	ROLLER	POUCH SIZE	SPEED
DC-338-1	Hibar Pump	3set	Width: 40-85mm Length: 40-120mm or 70-160mm	30-80pcs/min
DC-338-2	Magnetic Pump			
DC-338-8	Pneumatic Rotary Pump			
DC-338A2	Volumetric Cup	2set		
DC-338A3	Auger			30-120pcs/min

DC-228 SERIES Horizontal Automatic Packing Machine



DC-228-110



DC-228-150



DC-228-180



















DC-228 Series with PLC controlling system, the machine makes pouches accurately and filling product precisely.
The machine is suitable for running for 24 hours continuously for its stability. This kind of machine can coordinate with different types of filling system: such as auger , volumetric cup, hibar pump, piton pump etc for different products. It is able to make diferent sealing types according to different standard. The process of packaging is visible and the operation is user-friendly. Packaging size can be conveniently and quickly adjusted. It can achieve 3 or 4 sides sealing. The pouches made by the machine are neat and with strong sealing and long shelf life. And the machine itself is with high flexibility and nice appearance.

MODLE	DC-228-110	DC-228-150	DC-228-180
WIDTH	50-110mm	70-150mm	85-180mm
LENGTH	50-130mm	100-200mm	100-225mm
FILLING CAPACITY	2.5-60g	5-280g	5-400g
SPEED	45-80pcs/min		

Send us email or browse our official website
If you want to know more of our products
http://www.gd-dachuan.com
Email: liwen@gd-dachuan.com

ADD: Dachuan Industrial Park, No.10 Wanji North Street, Wanji Industrial Area, Shantou, China.
TEL: +86-754-88109233
+86-130-7630-0016(Miss.Huang)
+86-138-0271-5381(Mr.Wu)